

aspirmatic® No Change Service!Version
03.00Revision Date:
09.07.2020Date of last issue: 28.11.2018
Date of first issue: 12.10.2007**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Trade name : aspirmatic®


1.2 Relevant identified uses of the substance or mixture and uses advised againstUse of the Sub-
stance/Mixture : DisinfectantsRecommended restrictions
on use : Restricted to professional users.**1.3 Details of the supplier of the safety data sheet**Manufacturer/ Supplier : Schülke & Mayr GmbH
Robert-Koch-Str. 2

22851 Norderstedt
Germany
Telephone: +49 (0)40/ 52100-0
Telefax: +49 (0)40/ 52100318
mail@schuelke.com
www.schuelke.comSupplier : Schülke & Mayr UK Ltd.
Cygnet House
1, Jenkin Road, Meadowhall

Sheffield S9 1AT
United Kingdom
Telephone: +44 114 254 35 00
Telefax: +44 114 254 35 01
mail.uk@schulke.comE-mail address of person
responsible for the
SDS/Contact person : Application Department
+49 (0)40/ 521 00 666
AD@schuelke.com
(Schülke & Mayr UK Ltd.: +44-1142543500)**1.4 Emergency telephone number**Emergency telephone num-
ber : UK Poisons Emergency number: 0870 600 6266**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Skin corrosion, Sub-category 1B H314: Causes severe skin burns and eye damage.

Serious eye damage, Category 1 H318: Causes serious eye damage.

The symbol consists of two vertical bars of unequal height, with the shorter bar on the left and the taller bar on the right.
Long-term (chronic) aquatic hazard, Cat- H410: Very toxic to aquatic life with long lasting

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

schülke -t

aspirmatic® **No Change Service!**

Version
03.00

Revision Date:
09.07.2020

Date of last issue: 28.11.2018
Date of first issue: 12.10.2007

Category 1

effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

: Danger

Hazard statements

: H314 Causes severe skin burns and eye damage.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
Response:
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/ doctor.
Disposal:
P501 Dispose of contents/ container to an approved incineration plant.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

No hazards to be specially mentioned.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Solution of the following substances with harmless additives.

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

schülke 

aspirmatic® *No Change Service!*

Version
03.00

Revision Date:
09.07.2020

Date of last issue: 28.11.2018
Date of first issue: 12.10.2007

dimethyldioctylammonium chloride	5538-94-3 226-901-0 --- 01-2120767055-53-XXXX	Acute Tox. 3; H301 Acute Tox. 2; H310 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Acute 1; H400; M = 1 Aquatic Chronic 1; H410; M = 10	>= 5 - < 10
ethanol	64-17-5 200-578-6 603-002-00-5 01-2119457610-43-XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319	>= 1 - < 10
Alcohols, C12-15, ethoxylated propoxylated	68551-13-3 --- --- ---	Aquatic Acute 1; H400; M = 1	>= 0.25 - < 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Take off all contaminated clothing immediately.
- If inhaled : If symptoms persist, call a physician.
- In case of skin contact : Wash off immediately with plenty of water.
If symptoms persist, call a physician.
- In case of eye contact : In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Obtain medical attention.
- If swallowed : Do NOT induce vomiting.
Drink water as a precaution.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Treat symptomatically.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : For specialist advice physicians should contact the Poisons Information Service.

aspirmatic® No Change Service!Version
03.00Revision Date:
09.07.2020Date of last issue: 28.11.2018
Date of first issue: 12.10.2007

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing media : Dry powder
Foam
Water spray jet
Carbon dioxide (CO₂)

Unsuitable extinguishing media : Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : No information available.

5.3 Advice for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus for firefighters

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Increased risk of slipping in the presence of leaked / spilled product.
Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Avoid subsoil penetration.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

see Section 8 + 13

SECTION 7: Handling and storage**7.1 Precautions for safe handling**

Advice on safe handling : Prepare the working solution as given on the label(s) and/or the user instructions.

Advice on protection against fire and explosion : No special protective measures against fire required.

Hygiene measures : Keep away from food and drink.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

schülke -t

aspirmatic® No Change Service!

Version
03.00

Revision Date:
09.07.2020

Date of last issue: 28.11.2018
Date of first issue: 12.10.2007

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Recommended storage temperature: 5 - 25°C

Further information on storage conditions : Keep away from heat. Keep container tightly closed.

Advice on common storage : No materials to be especially mentioned.

7.3 Specific end use(s)

Specific use(s) : none

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
ethanol	64-17-5	TWA	1,000 ppm 1,920 mg/m ³	GB EH40
Further information: Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used.				

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
dimethyldioctylammonium chloride	Workers	Inhalation	Long-term systemic effects	18.79 mg/m ³
	Workers	Dermal	Long-term systemic effects	2.67 mg/kg
ethanol	Workers	Inhalation	Acute local effects	1900 mg/m ³
	Workers	Skin contact	Long-term systemic effects	343 mg/kg
	Workers	Inhalation	Long-term systemic effects	950 mg/m ³

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
dimethyldioctylammonium chloride	Fresh water	0.001 mg/l
	Marine water	0.00001 mg/l
	Sewage treatment plant	0.5 mg/l
ethanol	Fresh water	0.96 mg/l
	Marine water	0.79 mg/l
	Fresh water sediment	3.6 mg/kg
	Soil	0.63 mg/kg
	Marine sediment	2.9 mg/kg
	Sewage treatment plant	580 mg/l

8.2 Exposure controls

Personal protective equipment

aspirmatic® No Change Service!Version
03.00Revision Date:
09.07.2020

Date of last issue: 28.11.2018

Date of first issue: 12.10.2007

Eye protection	:	Safety glasses with side-shields conforming to EN166
Hand protection Directive	:	The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.
Remarks	:	Splash protection: disposable nitrile rubber gloves e.g. Dermatril (layer thickness: 0.11 mm) made by KCL or gloves from other manufacturers offering the same protection. Prolonged contact: Nitrile rubber gloves e.g. Camatril (>480 Min., layer thickness: 0,40 mm) or butyl rubber gloves e.g. Butoject (>480 Min., layer thickness: 0,70 mm) made by KCL or gloves from other manufacturers offering the same protection.
Skin and body protection	:	Work uniform or laboratory coat.
Respiratory protection	:	No personal respiratory protective equipment normally required.
Protective measures	:	Avoid contact with skin and eyes.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Appearance	:	liquid
Colour	:	blue
Odour	:	odourized
Odour Threshold	:	not determined
pH	:	6.5 - 7.5 (20 °C) Concentration: 100 %
Melting point/freezing point	:	ca. 0 °C
Decomposition temperature	:	Not applicable
Boiling point/boiling range	:	ca. 100 °C
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

schülke -t

aspirmatic® **No Change Service!**

Version
03.00

Revision Date:
09.07.2020

Date of last issue: 28.11.2018
Date of first issue: 12.10.2007

Vapour pressure	:	No data available
Vapour density	:	No data available
Relative density	:	ca. 0.99 g/cm ³ (20 °C)
Solubility(ies)		
Water solubility	:	in all proportions (20 °C)
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Viscosity		
Viscosity, dynamic	:	No data available
Explosive properties	:	No data available
Oxidizing properties	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : None reasonably foreseeable.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid : None reasonably foreseeable.

10.6 Hazardous decomposition products

None reasonably foreseeable.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

schülke 

aspirmatic® **No Change Service!**

Version
03.00

Revision Date:
09.07.2020

Date of last issue: 28.11.2018
Date of first issue: 12.10.2007

Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

dimethyldioctylammonium chloride:

Acute oral toxicity : LD50 (Rat): 238 mg/kg
Method: OECD Test Guideline 401
Assessment: Toxic if swallowed.
Remarks: The toxicological data has been taken from products of similar composition.

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : LD50 (Rabbit, male and female): 191 mg/kg
Method: OECD Test Guideline 434
Assessment: Fatal in contact with skin.

ethanol:

Acute oral toxicity : LD50 (Mouse): 8,300 mg/kg

Acute inhalation toxicity : LC50 (Mouse): 39 mg/l
Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): 20,000 mg/kg

Alcohols, C12-15, ethoxylated propoxylated:

Acute oral toxicity : (Rat): > 5,000 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Skin corrosion/irritation

Product:

Remarks : Causes severe skin burns and eye damage.

Components:

dimethyldioctylammonium chloride:

Species : Rabbit

Exposure time : 3 MIN

Method : OECD Test Guideline 404

Result : Corrosive after 3 minutes to 1 hour of exposure

GLP : yes

ethanol:

aspirmatic® No Change Service!Version
03.00Revision Date:
09.07.2020Date of last issue: 28.11.2018
Date of first issue: 12.10.2007

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Alcohols, C12-15, ethoxylated propoxylated:

Species	: Rabbit
Result	: slight irritation

Serious eye damage/eye irritation**Product:**

Remarks : Causes serious eye damage.

Components:**dimethyldioctylammonium chloride:**

Species	: Rabbit
Exposure time	: 1 s
Method	: OECD Test Guideline 405
Result	: Corrosive
GLP	: yes
Remarks	: The toxicological data has been taken from products of similar composition.

ethanol:

Method	: OECD Test Guideline 405
Result	: Eye irritation

Respiratory or skin sensitisation**Components:****dimethyldioctylammonium chloride:**

Remarks : No data available

ethanol:

Test Type	: Maximisation Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Did not cause sensitisation on laboratory animals.

Alcohols, C12-15, ethoxylated propoxylated:

Remarks : No data available

Germ cell mutagenicity**Components:****dimethyldioctylammonium chloride:**

Genotoxicity in vitro	: Test Type: Ames test Test system: Salmonella typhimurium
-----------------------	---

aspirmatic® No Change Service!Version
03.00Revision Date:
09.07.2020Date of last issue: 28.11.2018
Date of first issue: 12.10.2007

Metabolic activation: Metabolic activation
 Method: OECD Test Guideline 471
 Result: Non mutagenic
 GLP: yes
 Remarks: The toxicological data has been taken from products of similar composition.

Germ cell mutagenicity- Assessment : Not mutagenic in Ames Test

ethanol:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)
 Test system: Salmonella typhimurium
 Metabolic activation: with and without metabolic activation
 Method: OECD Test Guideline 471
 Result: Not mutagenic in Ames Test

Genotoxicity in vivo : Result: Non mutagenic

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Alcohols, C12-15, ethoxylated propoxylated:

Germ cell mutagenicity- Assessment : No data available

Carcinogenicity**Components:****dimethyldioctylammonium chloride:**

Species : Mouse, male and female
 Application Route : Oral
 Dose : 0-100-500-1000 parts per million
 Frequency of Treatment : täglich
 NOAEL : 76.3 mg/kg bw/day
 Method : OECD Test Guideline 451
 GLP : yes
 Remarks : The toxicological data has been taken from products of similar composition.

Carcinogenicity - Assessment : Based on available data, the classification criteria are not met.

ethanol:

Carcinogenicity - Assessment : Did not show carcinogenic effects in animal experiments.

Alcohols, C12-15, ethoxylated propoxylated:

Carcinogenicity - Assessment : No data available

aspirmatic® No Change Service!Version
03.00Revision Date:
09.07.2020Date of last issue: 28.11.2018
Date of first issue: 12.10.2007**Reproductive toxicity****Components:****dimethyldioctylammonium chloride:**

Effects on fertility	:	Species: Rat, male and female Application Route: Ingestion Dose: 0-300-750-1500 parts per million Method: OECD Test Guideline 416 Result: No effects on fertility and early embryonic development were detected. Remarks: The toxicological data has been taken from products of similar composition.
Reproductive toxicity - Assessment	:	Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met.

ethanol:

Effects on foetal development	:	Species: Rat Application Route: Oral General Toxicity Maternal: NOAEL: 2,000 mg/kg body weight
Reproductive toxicity - Assessment	:	In animal testing, risk of impaired fertility was shown only after administration of very high doses of this substance. Animal experiments showed mutagenic and teratogenic effects.

Alcohols, C12-15, ethoxylated propoxylated:

Reproductive toxicity - Assessment	:	No data available No data available
------------------------------------	---	--

STOT - single exposure**Components:****dimethyldioctylammonium chloride:**

Remarks	:	No data available
---------	---	-------------------

ethanol:

Remarks	:	No data available
---------	---	-------------------

Alcohols, C12-15, ethoxylated propoxylated:

Remarks	:	No data available
---------	---	-------------------

STOT - repeated exposure**Components:****dimethyldioctylammonium chloride:**

Remarks	:	No data available
---------	---	-------------------

aspirmatic® No Change Service!Version
03.00Revision Date:
09.07.2020Date of last issue: 28.11.2018
Date of first issue: 12.10.2007**ethanol:**

||Remarks : No data available

Alcohols, C12-15, ethoxylated propoxylated:

||Remarks : No data available

Repeated dose toxicity**Components:****dimethyldioctylammonium chloride:**||Species : Rat, male and female
||NOAEL : 37 mg/kg
||Application Route : Oral
||Exposure time : 13 Weeks
||Dose : 0-100-300-600-1000-3000
||Method : OECD Test Guideline 408
||Remarks : Based on data from similar materials**ethanol:**||Species : Rat
||NOAEL : 1,730 mg/kg
||LOAEL : 3,160 mg/kg
||Application Route : Oral
||Exposure time : 90 d**Aspiration toxicity**

No data available

Further information**Product:**

Remarks : No data is available on the product itself.

SECTION 12: Ecological information**12.1 Toxicity****Product:**Toxicity to microorganisms : EC50 : 520 mg/l
Method: OECD 209**Ecotoxicology Assessment****Components:****dimethyldioctylammonium chloride:**||Toxicity to fish : LC50 (Oncorhynchus mykiss): 0.35 mg/l
||Exposure time: 96 h
||Method: OECD Test Guideline 203

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

schülke -

aspirmatic® No Change Service!

Version
03.00

Revision Date:
09.07.2020

Date of last issue: 28.11.2018
Date of first issue: 12.10.2007

Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 0.01 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 GLP: yes
M-Factor (Acute aquatic toxicity)	:	1
M-Factor (Chronic aquatic toxicity)	:	10

ethanol:

Toxicity to fish	:	LC50 (Leuciscus idus (Golden orfe)): 8,140 mg/l Exposure time: 48 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 5,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	IC50 (Scenedesmus quadricauda (Green algae)): > 100 mg/l Exposure time: 72 h

Alcohols, C12-15, ethoxylated propoxylated:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss): 0.61 - 0.75 mg/l Exposure time: 96 h Test Type: static test
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna): 0.17 - 0.25 mg/l Exposure time: 48 h Test Type: static test
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to microorganisms	:	Remarks: No data available

12.2 Persistence and degradability

Product:

Biodegradability	:	Result: Readily biodegradable. Method: OECD 301D / EEC 84/449 C6
Chemical Oxygen Demand (COD)	:	ca. 2,630 mg/l Test substance: 1 % solution

Components:

dimethyldioctylammonium chloride:

aspirmatic® No Change Service!Version
03.00Revision Date:
09.07.2020Date of last issue: 28.11.2018
Date of first issue: 12.10.2007

Biodegradability : Result: rapidly biodegradable
 Biodegradation: 73 %
 Exposure time: 28 d
 Method: OECD Test Guideline 301
 Remarks: The 10 day time window criterion is not fulfilled.

ethanol:

Biodegradability : Test Type: aerobic
 Result: Readily biodegradable.
 Biodegradation: > 70 %
 Exposure time: 5 d
 Method: OECD 301D / EEC 84/449 C6

Alcohols, C12-15, ethoxylated propoxylated:

Biodegradability : Result: Biodegradable
 Biodegradation: 29 %
 Method: OECD Test Guideline 301C

12.3 Bioaccumulative potential**Components:****dimethyldioctylammonium chloride:**

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

ethanol:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-
 octanol/water : log Pow: -0.14
 Method: Calculated value

Alcohols, C12-15, ethoxylated propoxylated:

Bioaccumulation : Remarks: No data available

12.4 Mobility in soil**Components:****ethanol:**

Mobility : Remarks: No data available

Alcohols, C12-15, ethoxylated propoxylated:

Mobility : Remarks: No data available

12.5 Results of PBT and vPvB assessment**Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

aspirmatic® No Change Service!Version
03.00Revision Date:
09.07.2020Date of last issue: 28.11.2018
Date of first issue: 12.10.2007

0.1% or higher..

Components:**dimethyldioctylammonium chloride:**

Assessment	: This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..
------------	---

ethanol:

Assessment	: This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..
------------	---

12.6 Other adverse effects**Product:**

Additional ecological information	: None known.
-----------------------------------	---------------

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Product	: Dispose of the product according to the defined EWC (European Waste Code) No.
Contaminated packaging	: Take empty packaging to the recycling plant.
Waste key for the unused product	: European waste catalog (EWC) 070601
Waste key for the unused product(Group)	: Waste material of HZVA from fats, lubricants, soaps, detergents, disinfectants and personal protection products.

SECTION 14: Transport information**14.1 UN number**

ADR	: UN 1903
IMDG	: UN 1903
IATA	: UN 1903

14.2 UN proper shipping name

ADR	: DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (dimethyldioctylammonium chloride)
IMDG	: DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (dimethyldioctylammonium chloride)
IATA	: Disinfectant, liquid, corrosive, n.o.s. (dimethyldioctylammonium chloride)

aspirmatic® No Change Service!Version
03.00Revision Date:
09.07.2020Date of last issue: 28.11.2018
Date of first issue: 12.10.2007**14.3 Transport hazard class(es)**

ADR	:	8
IMDG	:	8
IATA	:	8

14.4 Packing group

ADR		
Packing group	:	III
Classification Code	:	C9
Hazard Identification Number	:	80
Labels	:	8
Tunnel restriction code	:	(E)
IMDG		
Packing group	:	III
Labels	:	8
EmS Code	:	F-A, S-B
IATA (Cargo)		
Packing instruction (cargo aircraft)	:	856
Packing instruction (LQ)	:	Y841
Packing group	:	III
Labels	:	Corrosive
IATA (Passenger)		
Packing instruction (passenger aircraft)	:	852
Packing instruction (LQ)	:	Y841
Packing group	:	III
Labels	:	Corrosive

14.5 Environmental hazards

ADR
Environmentally hazardous : yes

IMDG
Marine pollutant : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

For personal protection see section 8.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, : Conditions of restriction for the following entries should be considered:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

schülke 

aspirmatic® **No Change Service!**

Version
03.00

Revision Date:
09.07.2020

Date of last issue: 28.11.2018
Date of first issue: 12.10.2007

preparations and articles (Annex XVII)	Number on list 3
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	: Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	: Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	: Not applicable
Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals	: Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
E1 ENVIRONMENTAL HAZARDS

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Volatile organic compounds (VOC) content: 1.58 %

Regulation (EC) No. 648/2004, as amended : less than 5 %: Non-ionic surfactants, Soap
Other constituents: Perfumes
Allergens:
(R)-p-mentha-1,8-diene
linalool

Other regulations:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

Exempt

SECTION 16: Other information

Full text of H-Statements

H225	: Highly flammable liquid and vapour.
H301	: Toxic if swallowed.
H310	: Fatal in contact with skin.
H314	: Causes severe skin burns and eye damage.

aspirmatic® No Change Service!Version
03.00Revision Date:
09.07.2020Date of last issue: 28.11.2018
Date of first issue: 12.10.2007

H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Flam. Liq.	:	Flammable liquids
Skin Corr.	:	Skin corrosion
GB EH40	:	UK. EH40 WEL - Workplace Exposure Limits
GB EH40 / TWA	:	Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information**Classification of the mixture:**

Skin Corr. 1B	H314
Eye Dam. 1	H318
Aquatic Chronic 1	H410

Classification procedure:

Calculation method
Calculation method
Calculation method

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



aspirmatic® **No Change Service!**

Version
03.00

Revision Date:
09.07.2020

Date of last issue: 28.11.2018
Date of first issue: 12.10.2007

|| Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.