	hermack S.p.a	Revision nr. 2 Dated 14/11/2016 Printed on 14/11/2016	
		Page n. 1/11	
Safety data sheet			
SECTION 1. Identification of the	substance/mixture and of the company/u	ndertaking.	
1.1. Product identifier. Code:	C700100/ C700130		
Product name.	ELITE SOFT RELINING - CATALYST		
1.2. Relevant identified uses of the substand Intended use. For profession	<u>ce or mixture and uses advised against.</u> al use only. Addition silicone for soft relining.		
1.3. Details of the supplier of the safety data			
Name. Full address. District and Country.	Zhermack S.p.a Via Bovazecchino 100 45021 Badia Polesine (RO) Italy		
	Tel. +39 0425-597611		
	Fax. +39 0425-597689		
e-mail address of the competent person.			
responsible for the Safety Data Sheet.	msds@zhermack.com		
1.4. Emergency telephone number.			
For urgent inquiries refer to.	0039 0425597611		

SECTION 2. Hazards identification.

2.1. Classification of the substance or mixture.

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to EC Regulation 1907/2006 and subsequent amendments. Hazard classification and indication:

2.2. Label elements.

The Regulation EC 1272/2008, on classification, labelling and packaging of substances and mixtures (CLP), shall not apply to a medical device in the finished state used in direct physical contact with the human body according to art. 5.1, letter d). Therefore the product is exempted from the CLP labeling requirements.

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:	
Signal words:	
Hazard statements:	
EUH210	Safety data sheet available on request.
Precautionary statements:	

			Revision nr. 2
	Zhermack S.p.a		
			Dated 14/11/2016
C700100/ C700130 – ELITE SOFT RELINING - CATALYST		Printed on 14/11/2016	
			Page n. 2/11
2.3. Other hazards.			
On the basis of available data, the product doe	es not contain any PBT or v	PvB in percentage greater than 0,1%.	
SECTION 3. Composition/infor	mation on ingredie	ents.	
3.1. Substances.			
Information not relevant.			
3.2. Mixtures.			
Contains:			
Identification.		Classification 1272/2008 (CLP).	
ETHOXYLATED NONYL PHENOL			
CAS. 9016-45-9	$0,2 \le x < 0,4$	Eye Irrit. 2 H319, Skin Irrit. 2 H315, Ac	quatic Chronic 2 H411
EC. 500-024-6			
INDEX			
The full wording of hazard (H) phrases is giver	in section 16 of the sheet.		

SECTION 4. First aid measures.

4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed.

Specific information on symptoms and effects caused by the product are unknown. For symptoms and effects caused by the contained substances, see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

Revision nr. 2

C700100/ C700130 - ELITE SOFT RELINING - CATALYST

Dated 14/11/2016

Printed on 14/11/2016

Page n. 3/11

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Revision nr. 2

C700100/ C700130 - ELITE SOFT RELINING - CATALYST

Dated 14/11/2016

Printed on 14/11/2016 Page n. 4/11

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

See section 1.2.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Information not available.

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Exposure levels must be kept as low as possible to avoid significant build-up in the organism. Manage personal protective equipment so as to guarantee maximum protection (e.g. reduction in replacement times).

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category III professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

In the presence of risks of exposure to splashes or squirts during work, adequate mouth, nose and eye protection should be used to prevent accidental absorption.

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS.

Revision nr. 2

Page n. 5/11

C700100/ C700130 - ELITE SOFT RELINING - CATALYST

Dated 14/11/2016

Printed on 14/11/2016

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

9.2. Other information.

Information not available.

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

Revision nr. 2

Page n. 6/11

C700100/ C700130 - ELITE SOFT RELINING - CATALYST

Dated 14/11/2016

Printed on 14/11/2016

10.4. Conditions to avoid.

Protect against heat, solar radiation and light.

10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

Information not available.

SECTION 11. Toxicological information.

11.1. Information on toxicological effects.

ACUTE TOXICITY.

LC50 (Inhalation - vapours) of the mixture: Not classified (no significant component).

LC50 (Inhalation - mists / powders) of the mixture: Not classified (no significant component).

LD50 (Oral) of the mixture: Not classified (no significant component).

LD50 (Dermal) of the mixture: Not classified (no significant component).

SKIN CORROSION / IRRITATION.

Does not meet the classification criteria for this hazard class.

SERIOUS EYE DAMAGE / IRRITATION.

Does not meet the classification criteria for this hazard class.

RESPIRATORY OR SKIN SENSITISATION.

Does not meet the classification criteria for this hazard class.

GERM CELL MUTAGENICITY. Does not meet the classification criteria for this hazard class.

CARCINOGENICITY.

Does not meet the classification criteria for this hazard class. REPRODUCTIVE TOXICITY.

Does not meet the classification criteria for this hazard class.

STOT - SINGLE EXPOSURE. Does not meet the classification criteria for this hazard class. STOT - REPEATED EXPOSURE.

Does not meet the classification criteria for this hazard class.

ASPIRATION HAZARD.

Does not meet the classification criteria for this hazard class.

NONYLPHENOL, ETHOXYLATED

LD50 (Oral).> 2000 mg/kg (read-across from structural analogue or surrogate, rat, MSDS supplier).

Acute toxicity:

Inhalation: No data available.

Dermal: No data available.

Irritation/Corrosion

Skin irritation: irritating (read-across from structural analogue or surrogate, rabbit, ECHA dossier).

Eye irritation: Not irritating (read-across from structural analogue or surrogate, rabbit, ECHA dossier).

Skin Sensitization: Not sensitizing (read-across from structural analogue or surrogate, guinea pig, ECHA dossier). STOT – Repeated exposure: No data available.

Genotoxicity in vitro: Negative (read-across from structural analogue or surrogate, Ames test, ECHA dossier). Genotoxicity in vivo: No data available.

Revision nr. 2

Page n. 7/11

C700100/ C700130 - ELITE SOFT RELINING - CATALYST

Dated 14/11/2016

Printed on 14/11/2016

Carcinogenicity: No data available. Toxicity to reproduction: No data available.

SECTION 12. Ecological information.

12.1. Toxicity.

ETHOXYLATED NONYL PHENOL EC50 - for Crustacea. EC50 - for Algae / Aquatic Plants.

1,821 mg/l/48h (QSAR: ECOSAR V1.00class(es) Found: US EPA, dossier ECHA) 20 mg/l/72h (Equivalento to EU Method C.3, 48h, REACH Guidance on QSAR, dossier ECHA)

12.2. Persistence and degradability.

ETHOXYLATED NONYL PHENOL NOT rapidly biodegradable.

12.3. Bioaccumulative potential.

Information not available.

12.4. Mobility in soil.

Information not available.

12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects.

ETHOXYLATED NONYL PHENOL

Substance of very high concern because, due to their degradation to substances of very high concern (4-nonylphenol, branched and linear) with endocrine disrupting properties, they cause probable serious effects to the environment (SVHC support document, ECHA 2013).

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

Revision nr. 2

C700100/ C700130 - ELITE SOFT RELINING - CATALYST

Dated 14/11/2016

Printed on 14/11/2016 Page n. 8/11

SECTION 14. Transport information.

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number.

Not applicable.

14.2. UN proper shipping name.

Not applicable.

14.3. Transport hazard class(es).

Not applicable.

14.4. Packing group.

Not applicable.

14.5. Environmental hazards.

Not applicable.

14.6. Special precautions for user.

Not applicable.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code.

Information not relevant.

SECTION 15. Regulatory information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

Seveso Category - Directive 2012/18/EC:

	Zhermad	ck S.p.a	Revision nr. 2
			Dated 14/11/2016
C700 ⁻	100/ C700130 – ELITE S	OFT RELINING - CATALYST	Printed on 14/11/2016
			Page n. 9/11
Restrictions relating to	the product or contained substances	pursuant to Annex XVII to EC Regulation 1907/2	<u>006.</u>
Product.			
None.			
Contained substance.			
Deint	10		
Point.	46	ETHOXYLATED NONYL PHENOL	
Substances in Candid	late List (Art. 59 REACH).		
ETHOXYLATED NON			
Substances subject to	authorisarion (Annex XIV REACH).		
News			
None.			
Substances subject to	exportation reporting pursuant to (EC	C) Reg. 649/2012:	
ETHOXYLATED NON	IYL PHENOL		
Substances subject to	the Rotterdam Convention:		
None.			
Cubatanaga gubiaat ta	the Steel/holm Convention		
Substances subject to	the Stockholm Convention:		
None.			
Healthcare controls.			
Information not availab	ble.		

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
Aquatic Chronic 4	Hazardous to the aquatic environment, chronic toxicity, category 4
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

C700100/ C700130 - ELITE SOFT RELINING - CATALYST

Zhermack S.p.a

Revision nr. 2

Page n. 10/11

Dated 14/11/2016

Printed on 14/11/2016

H315 Causes skin irritation.

- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- **OEL: Occupational Exposure Level**
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EU) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- Regulation (EU) 2015/830 of the European Parliament 4
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website

Note for users:

A safety data sheet is not required for this product under article 31 of Regulation 1907/2006/EC.

This safety data sheet has been created on a voluntary basis.

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

C700100/ C700130 - ELITE SOFT RELINING - CATALYST

Zhermack S.p.a

Revision nr. 2

Dated 14/11/2016

Printed on 14/11/2016 Page n. 11/11

Changes to previous review: The following sections were modified: 01 / 02 / 03 / 04 / 05 / 07 / 08 / 09 / 11 / 12 / 14 / 15 / 16.

	Zhermack S.p.a	Revision nr. 2
		Dated 14/11/2016
C700100/ C700130 – ELITE SOFT RELINING - BASE		Printed on 14/11/2016
		Page n. 1/11
	Safety data sheet	
SECTION 1. Identification of the	e substance/mixture and of the company/u	undertaking.
1.1. Product identifier.		
Code:	C700100/ C700130	
Product name.	ELITE SOFT RELINING - BASE	
1.3. Details of the supplier of the safety dat Name. Full address. District and Country.	Zhermack S.p.a Via Bovazecchino 100 45021 Badia Polesine (RO)	
Name. Full address.	Zhermack S.p.a Via Bovazecchino 100 45021 Badia Polesine (RO) Italy	
Name. Full address.	Zhermack S.p.a Via Bovazecchino 100 45021 Badia Polesine (RO) Italy Tel. +39 0425-597611	
Name. Full address. District and Country.	Zhermack S.p.a Via Bovazecchino 100 45021 Badia Polesine (RO) Italy	
Name. Full address. District and Country. e-mail address of the competent person.	Zhermack S.p.a Via Bovazecchino 100 45021 Badia Polesine (RO) Italy Tel. +39 0425-597611 Fax. +39 0425-597689	
Name. Full address. District and Country.	Zhermack S.p.a Via Bovazecchino 100 45021 Badia Polesine (RO) Italy Tel. +39 0425-597611	

SECTION 2. Hazards identification.

2.1. Classification of the substance or mixture.

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to EC Regulation 1907/2006 and subsequent amendments. Hazard classification and indication:

2.2. Label elements.

The Regulation EC 1272/2008, on classification, labelling and packaging of substances and mixtures (CLP), shall not apply to a medical device in the finished state used in direct physical contact with the human body according to art. 5.1, letter d). Therefore the product is exempted from the CLP labeling requirements.

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:	
Signal words:	
Hazard statements:	
EUH210	Safety data sheet available on request.
Precautionary statements:	

		Dated 14/11/2016
C700100/ C700130		PELINING - BASE Printed on 14/11/2016
		Page n. 2/11
3. Other hazards.		
he basis of available data, the product doe	es not contain any PBT or v	PvB in percentage greater than 0,1%.
ECTION 3. Composition/infor	mation on ingredie	ents.
. Substances.		
mation not relevant.		
2. Mixtures.		
ains:		
entification.		Classification 1272/2008 (CLP).
HOXYLATED NONYL PHENOL		
S. 9016-45-9	$0,2 \le x < 0,4$	Eye Irrit. 2 H319, Skin Irrit. 2 H315, Aquatic Chronic 2 H411
. 500-024-6		
DEX		

SECTION 4. First aid measures.

4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed.

Specific information on symptoms and effects caused by the product are unknown. For symptoms and effects caused by the contained substances, see chap. 11.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

Revision nr. 2

C700100/ C700130 - ELITE SOFT RELINING - BASE

Dated 14/11/2016

Printed on 14/11/2016

Page n. 3/11

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. If the product is flammable, use explosion-proof equipment. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Revision nr. 2

C700100/ C700130 - ELITE SOFT RELINING - BASE

Dated 14/11/2016

Printed on 14/11/2016 Page n. 4/11

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

See section 1.2.

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Information not available.

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Exposure levels must be kept as low as possible to avoid significant build-up in the organism. Manage personal protective equipment so as to guarantee maximum protection (e.g. reduction in replacement times).

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category III professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

In the presence of risks of exposure to splashes or squirts during work, adequate mouth, nose and eye protection should be used to prevent accidental absorption.

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS.

Revision nr. 2

Page n. 5/11

C700100/ C700130 - ELITE SOFT RELINING - BASE

Dated 14/11/2016

Printed on 14/11/2016

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

9.2. Other information.

Information not available.

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

Revision nr. 2

Page n. 6/11

C700100/ C700130 - ELITE SOFT RELINING - BASE

Dated 14/11/2016

Printed on 14/11/2016

10.4. Conditions to avoid.

Protect against heat, solar radiation and light.

10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

Information not available.

SECTION 11. Toxicological information.

11.1. Information on toxicological effects.

ACUTE TOXICITY.

LC50 (Inhalation - vapours) of the mixture: Not classified (no significant component).

LC50 (Inhalation - mists / powders) of the mixture: Not classified (no significant component).

LD50 (Oral) of the mixture: Not classified (no significant component).

LD50 (Dermal) of the mixture: Not classified (no significant component).

SKIN CORROSION / IRRITATION.

Does not meet the classification criteria for this hazard class.

SERIOUS EYE DAMAGE / IRRITATION.

Does not meet the classification criteria for this hazard class.

RESPIRATORY OR SKIN SENSITISATION.

Does not meet the classification criteria for this hazard class. GERM CELL MUTAGENICITY.

Does not meet the classification criteria for this hazard class.

CARCINOGENICITY.

Does not meet the classification criteria for this hazard class. REPRODUCTIVE TOXICITY.

Does not meet the classification criteria for this hazard class. STOT - SINGLE EXPOSURE.

Does not meet the classification criteria for this hazard class. STOT - REPEATED EXPOSURE.

Does not meet the classification criteria for this hazard class.

ASPIRATION HAZARD.

Does not meet the classification criteria for this hazard class.

NONYLPHENOL, ETHOXYLATED

LD50 (Oral).> 2000 mg/kg (read-across from structural analogue or surrogate, rat, MSDS supplier).

Acute toxicity:

Inhalation: No data available.

Dermal: No data available.

Irritation/Corrosion

Skin irritation: irritating (read-across from structural analogue or surrogate, rabbit, ECHA dossier).

Eye irritation: Not irritating (read-across from structural analogue or surrogate, rabbit, ECHA dossier).

Skin Sensitization: Not sensitizing (read-across from structural analogue or surrogate, guinea pig, ECHA dossier). STOT – Repeated exposure: No data available.

Genotoxicity in vitro: Negative (read-across from structural analogue or surrogate, Ames test, ECHA dossier). Genotoxicity in vivo: No data available.

Revision nr. 2

C700100/ C700130 - ELITE SOFT RELINING - BASE

Dated 14/11/2016

Printed on 14/11/2016 Page n. 7/11

Carcinogenicity: No data available. Toxicity to reproduction: No data available.

SECTION 12. Ecological information.

12.1. Toxicity.

ETHOXYLATED NONYL PHENOL EC50 - for Crustacea. EC50 - for Algae / Aquatic Plants.

1,821 mg/l/48h (QSAR: ECOSAR V1.00class(es) Found: US EPA, dossier ECHA) 20 mg/l/72h (Equivalento to EU Method C.3, 48h, REACH Guidance on QSAR, dossier ECHA)

12.2. Persistence and degradability.

ETHOXYLATED NONYL PHENOL NOT rapidly biodegradable.

12.3. Bioaccumulative potential.

Information not available.

12.4. Mobility in soil.

Information not available.

12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects.

ETHOXYLATED NONYL PHENOL

Substance of very high concern because, due to their degradation to substances of very high concern (4-nonylphenol, branched and linear) with endocrine disrupting properties, they cause probable serious effects to the environment (SVHC support document, ECHA 2013).

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

Revision nr. 2

C700100/ C700130 - ELITE SOFT RELINING - BASE

Dated 14/11/2016

Printed on 14/11/2016 Page n. 8/11

SECTION 14. Transport information.

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number.

Not applicable.

14.2. UN proper shipping name.

Not applicable.

14.3. Transport hazard class(es).

Not applicable.

14.4. Packing group.

Not applicable.

14.5. Environmental hazards.

Not applicable.

14.6. Special precautions for user.

Not applicable.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code.

Information not relevant.

SECTION 15. Regulatory information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

Seveso Category - Directive 2012/18/EC:

Zhermack S.p.a	Revision nr. 2 Dated 14/11/2016			
C700100/ C700130 – ELITE SOFT RELINING	- BASE	Printed on 14/11/2016 Page n. 9/11		
Restrictions relating to the product or contained substances pursuant to Annex XVII to E0	C Regulation 1907/2006			
Product. None.	<u> </u>			
Contained substance.				
Point. 46 ETHOXYLATED NONYL PHENOL				
Substances in Candidate List (Art. 59 REACH).				
ETHOXYLATED NONYL PHENOL				
Substances subject to authorisarion (Annex XIV REACH).				
None.				
Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:				
ETHOXYLATED NONYL PHENOL				
Substances subject to the Rotterdam Convention:				
None.				
Substances subject to the Stockholm Convention:				
None.				
Healthcare controls.				
Information not available.				

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information.

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
Aquatic Chronic 4	Hazardous to the aquatic environment, chronic toxicity, category 4
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

C700100/ C700130 - ELITE SOFT RELINING - BASE

Zhermack S.p.a

Revision nr. 2

Page n. 10/11

Dated 14/11/2016

Printed on 14/11/2016

H315 Causes skin irritation.

- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- **OEL: Occupational Exposure Level**
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EU) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EU) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- Regulation (EU) 2015/830 of the European Parliament 4
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- ECHA website

Note for users:

A safety data sheet is not required for this product under article 31 of Regulation 1907/2006/EC.

This safety data sheet has been created on a voluntary basis.

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Revision nr. 2 Zhermack S.p.a Dated 14/11/2016 C700100/ C700130 - ELITE SOFT RELINING - BASE Printed on 14/11/2016 Page n. 11/11

Changes to previous review: The following sections were modified: 01 / 02 / 03 / 04 / 05 / 07 / 08 / 09 / 11 / 12 / 14 / 15 / 16.