

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019

schülke 

desderman® care gel **No Change Service!**

Version
03.05

Revision Date:
21.02.2022

Date of last issue: 15.01.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : desderman® care gel

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Private area and public health area disinfectants and other biocidal products

1.3 Details of the supplier of the safety data sheet

Producer : Schülke & Mayr GmbH
Robert-Koch-Str. 2

22851 Norderstedt
Germany
Telephone: +49 (0)40/ 52100-0
Telefax: +49 (0)40/ 52100318
mail@schuelke.com
www.schuelke.com

Supplier : Schülke & Mayr UK Ltd.
Cygnet House
1, Jenkin Road, Meadowhall

Sheffield S9 1AT
United Kingdom
Telephone: +44 114 254 35 00
Telefax: +44 114 254 35 01
mail.uk@schulke.com

E-mail address of person
responsible for the
SDS/Contact person : Application Specialists
+49 (0)40/ 521 00 666
AD@schuelke.com
(Schülke & Mayr UK Ltd.: +44-1142543500)

1.4 Emergency telephone number

Emergency telephone number : UK Poisons Emergency number: 0870 600 6266
Carechem 24 International: +44 1235 239670

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019)

Flammable liquids, Category 2 H225: Highly flammable liquid and vapour.

Eye irritation, Category 2 H319: Causes serious eye irritation.

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019

schülke 

desderman® care gel

No Change Service!

Version
03.05

Revision Date:
21.02.2022

Date of last issue: 15.01.2021

Long-term (chronic) aquatic hazard, Category 3

H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) as amended by The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019)

Hazard pictograms

:



Signal word

:

Danger

Hazard statements

:

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

:

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Vapours are heavier than air and may spread along floors.

Take precautionary measures against static discharges.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

:

Solution of the following substances with harmless additives.

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019

schülke 

desderman® care gel

No Change Service!

Version
03.05

Revision Date:
21.02.2022

Date of last issue: 15.01.2021

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
ethanol	64-17-5 200-578-6 603-002-00-5 01-2119457610-43-XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319	>= 70 - < 90
tetradecanol	112-72-1 204-000-3 --- 01-2119485910-33-XXXX	Eye Irrit. 2; H319 Aquatic Chronic 1; H410 M-Factor (Chronic aquatic toxicity): 1	>= 1 - < 2.5

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Take off all contaminated clothing immediately.
- If inhaled : Move to fresh air.
If symptoms persist, call a physician.
- In case of eye contact : Rinse thoroughly with plenty of water, also under the eyelids.
If eye irritation persists, consult a specialist.
- If swallowed : Do NOT induce vomiting.
Clean mouth with water and drink afterwards plenty of water.
If swallowed, seek medical advice immediately and show this container or label.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Treat symptomatically.
- Risks : Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

- Suitable extinguishing media : Dry powder

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019

schülke 

desderman® care gel

No Change Service!

Version
03.05

Revision Date:
21.02.2022

Date of last issue: 15.01.2021

Alcohol-resistant foam
Water spray jet
Carbon dioxide (CO₂)

Unsuitable extinguishing media : Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Vapours are heavier than air and may spread along floors.
Cool closed containers exposed to fire with water spray.

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Ensure adequate ventilation.
Remove all sources of ignition.

6.2 Environmental precautions

Environmental precautions : Avoid subsoil penetration.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

see Section 8 + 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Do not spray on a naked flame or any incandescent material.
Keep away from sources of ignition - No smoking. Keep away from children.

Advice on protection against fire and explosion : The hot product gives off combustible vapours. Take measures to prevent the build up of electrostatic charge.

Hygiene measures : Keep away from food and drink.

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019

schülke 

desderman® care gel

No Change Service!

Version
03.05

Revision Date:
21.02.2022

Date of last issue: 15.01.2021

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store at room temperature in the original container. Keep at temperature not exceeding 25 °C.

Further information on storage conditions : Keep away from direct sunlight. Keep container tightly closed.

Advice on common storage : Do not store together with oxidising agents.

7.3 Specific end use(s)

Specific use(s) : none

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
ethanol	64-17-5	TWA	1,000 ppm 1,920 mg/m ³	GB EH40
Further information: Where no specific short-term exposure limit is listed, a figure three times the long-term exposure limit should be used.				

Derived No Effect Level (DNEL):

Substance name	End Use	Exposure routes	Potential health effects	Value
ethanol	Workers	Inhalation	Acute local effects	1900 mg/m ³
	Workers	Skin contact	Long-term systemic effects	343 mg/kg
	Workers	Inhalation	Long-term systemic effects	950 mg/m ³
tetradecanol	Workers	Skin contact	Acute systemic effects	125 mg/kg
	Workers	Inhalation	Acute systemic effects	220 mg/m ³
	Workers	Skin contact	Long-term systemic effects	125 mg/kg
	Workers	Inhalation	Long-term systemic effects	220 mg/m ³

Predicted No Effect Concentration (PNEC):

Substance name	Environmental Compartment	Value
ethanol	Fresh water	0.96 mg/l
	Marine water	0.79 mg/l
	Fresh water sediment	3.6 mg/kg
	Soil	0.63 mg/kg
	Marine sediment	2.9 mg/kg
	Sewage treatment plant	580 mg/l
tetradecanol	Fresh water	0.00032 mg/l
	Marine water	0.000032 mg/l

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019

schülke 

desderman® care gel

No Change Service!

Version
03.05

Revision Date:
21.02.2022

Date of last issue: 15.01.2021

	Fresh water sediment	0.36 mg/kg
	Marine sediment	0.036 mg/kg
	Soil	0.28 mg/kg
	Sewage treatment plant	0.0019 mg/l

8.2 Exposure controls

Personal protective equipment

Eye protection : If splashes are likely to occur, wear:
Safety glasses with side-shields conforming to EN166

Hand protection

Remarks : Not applicable

Respiratory protection : No personal respiratory protective equipment normally required.

Protective measures : Avoid contact with eyes.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : viscous liquid

Colour : colourless

Odour : alcohol-like

Odour Threshold : not determined

pH : Not applicable

|| Melting point/freezing point : No data available

|| Decomposition temperature : No data available

|| Boiling point/boiling range : No data available

Flash point : 15.5 °C
Method: ISO 1523

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Upper explosion limit / Upper flammability limit : 15 %(V)
Raw material

Lower explosion limit / Lower flammability limit : 3.1 %(V)
Raw material

|| Vapour pressure : No data available

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019

schülke 

desderman® care gel

No Change Service!

Version
03.05

Revision Date:
21.02.2022

Date of last issue: 15.01.2021

		Relative vapour density	:	No data available
		Density	:	ca. 0.83 g/cm ³ (20 °C)
		Solubility(ies)		
		Water solubility	:	No data available
		Partition coefficient: n-octanol/water	:	Not applicable
		Auto-ignition temperature	:	> 360 °C Raw material
		Viscosity		
		Viscosity, dynamic	:	ca. 900 mPa*s
		Explosive properties	:	No data available
		Oxidizing properties	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.
Reaction with oxidising agents
Exothermic reaction with strong acids.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : Strong acids and oxidizing agents

10.6 Hazardous decomposition products

None reasonably foreseeable.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019

schülke 

desderman® care gel

No Change Service!

Version
03.05

Revision Date:
21.02.2022

Date of last issue: 15.01.2021

Components:

ethanol:

Acute oral toxicity	: LD50 (Mouse): 8,300 mg/kg
Acute inhalation toxicity	: LC50 (Mouse): 39 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	: LD50 (Rabbit): 20,000 mg/kg

tetradecanol:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	: Remarks: No data available
Acute dermal toxicity	: LD50 (Rabbit): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

ethanol:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

tetradecanol:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

ethanol:

Method	: OECD Test Guideline 405
Result	: Eye irritation

tetradecanol:

Species	: Rabbit
Method	: OECD Test Guideline 405
Result	: Eye irritation

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019



desderman® care gel

No Change Service!

Version
03.05

Revision Date:
21.02.2022

Date of last issue: 15.01.2021

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

ethanol:

Test Type	: Maximisation Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Did not cause sensitisation on laboratory animals.

tetradecanol:

Test Type	: Maximisation Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Not classified based on available information.

Components:

ethanol:

Genotoxicity in vitro	: Test Type: Microbial mutagenesis assay (Ames test) Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: Not mutagenic in Ames Test
Genotoxicity in vivo	: Result: Non mutagenic
Germ cell mutagenicity- Assessment	: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

tetradecanol:

Genotoxicity in vitro	: Test Type: Microbial mutagenesis assay (Ames test) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
Germ cell mutagenicity- Assessment	: Not mutagenic in Ames Test

Carcinogenicity

Not classified based on available information.

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019

schülke 

desderman® care gel

No Change Service!

Version
03.05

Revision Date:
21.02.2022

Date of last issue: 15.01.2021

Components:

ethanol:

Carcinogenicity - Assessment : Did not show carcinogenic effects in animal experiments.

tetradecanol:

Carcinogenicity - Assessment : Carcinogenicity classification not possible from current data.

Reproductive toxicity

Not classified based on available information.

Components:

ethanol:

Effects on foetal development : Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 2,000 mg/kg body weight

Reproductive toxicity - Assessment : Animal experiments showed mutagenic and teratogenic effects.

tetradecanol:

Reproductive toxicity - Assessment : Based on available data, the classification criteria are not met.

STOT - single exposure

Not classified based on available information.

Components:

ethanol:

Remarks : No data available

tetradecanol:

Remarks : Based on available data, the classification criteria are not met.

STOT - repeated exposure

Not classified based on available information.

Components:

ethanol:

Remarks : No data available

tetradecanol:

Remarks : Based on available data, the classification criteria are not met.

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019

schülke 

desderman® care gel

No Change Service!

Version
03.05

Revision Date:
21.02.2022

Date of last issue: 15.01.2021

Repeated dose toxicity

Components:

ethanol:

Species	: Rat
NOAEL	: 1,730 mg/kg
LOAEL	: 3,160 mg/kg
Application Route	: Oral
Exposure time	: 90 d

tetradecanol:

Remarks	: No data available
---------	---------------------

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks	: No human information is available.
---------	--------------------------------------

SECTION 12: Ecological information

12.1 Toxicity

Components:

ethanol:

Toxicity to fish	: LC50 (Leuciscus idus (Golden orfe)): 8,140 mg/l Exposure time: 48 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 5,000 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: IC50 (Scenedesmus quadricauda (Green algae)): > 100 mg/l Exposure time: 72 h

tetradecanol:

Toxicity to fish	: LC50 (Brachidanio rerio): > 100 mg/l Method: ISO 7346/2
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna): > 1 - 10 mg/l Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Desmodesmus subspicatus (green algae)): 10 - 100 mg/l Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: NOEC: > 1 - 10 mg/l Species: Brachidanio rerio Remarks: The toxicological data has been taken from prod-

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019

schülke 

desderman® care gel

No Change Service!

Version
03.05

Revision Date:
21.02.2022

Date of last issue: 15.01.2021

ucts of similar composition.

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0.001 - 0.01 mg/l
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

12.2 Persistence and degradability

Components:

ethanol:

Biodegradability : Test Type: aerobic
Result: Readily biodegradable.
Biodegradation: > 70 %
Exposure time: 5 d
Method: OECD 301D / EEC 84/449 C6

tetradecanol:

Biodegradability : Result: Readily biodegradable.

12.3 Bioaccumulative potential

Components:

ethanol:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: -0.14
Method: Calculated value

tetradecanol:

Bioaccumulation : Remarks: Does not significantly accumulate in organisms.

12.4 Mobility in soil

Components:

ethanol:

Mobility : Remarks: No data available

tetradecanol:

Mobility : Remarks: After release, adsorbs onto soil., The product evaporates slowly.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019



desderman® care gel

No Change Service!

Version
03.05

Revision Date:
21.02.2022

Date of last issue: 15.01.2021

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Additional ecological information : No data is available on the product itself.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Disposal together with normal waste is not allowed. Special disposal required according to local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

ADR : UN 1170
IMDG : UN 1170
IATA : UN 1170

14.2 UN proper shipping name

ADR : ETHANOL SOLUTION
IMDG : ETHANOL SOLUTION
IATA : Ethanol solution

14.3 Transport hazard class(es)

ADR : 3
IMDG : 3
IATA : 3

14.4 Packing group

ADR
Packing group : II
Classification Code : F1
Hazard Identification Number : 33
Labels : 3
Tunnel restriction code : (D/E)

IMDG
Packing group : II

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019

schülke 

desderman® care gel

No Change Service!

Version
03.05

Revision Date:
21.02.2022

Date of last issue: 15.01.2021

Labels : 3
EmS Code : F-E, S-D

IATA (Cargo)

Packing instruction (cargo aircraft) : 364
Packing instruction (LQ) : Y341
Packing group : II
Labels : Flammable liquid

IATA (Passenger)

Packing instruction (passenger aircraft) : 353
Packing instruction (LQ) : Y341
Packing group : II
Labels : Flammable liquid

14.5 Environmental hazards

ADR

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Conditions of restriction for the following entries should be considered: Number on list 3

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations 2019



desderman® care gel

No Change Service!

Version
03.05

Revision Date:
21.02.2022

Date of last issue: 15.01.2021

UK REACH List of substances subject to authorisation : Not applicable
(Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P5c FLAMMABLE LIQUIDS

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control)
Volatile organic compounds (VOC) content: 83.75 %

The components of this product are reported in the following inventories:

TCSI : Not in compliance with the inventory

TSCA : Product contains substance(s) not listed on TSCA inventory.

AIIC : Not in compliance with the inventory

DSL : This product contains the following components that are not on the Canadian DSL nor NDSL.
Acrylates C10-30 alkyl

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : Not in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

NZIoC : Not in compliance with the inventory

TECI : Not in compliance with the inventory

15.2 Chemical safety assessment

Exempt

SECTION 16: Other information

Full text of H-Statements

H225 : Highly flammable liquid and vapour.
H319 : Causes serious eye irritation.
H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Chronic : Long-term (chronic) aquatic hazard
Eye Irrit. : Eye irritation
Flam. Liq. : Flammable liquids
GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019

schülke 

desderman® care gel

No Change Service!

Version
03.05

Revision Date:
21.02.2022

Date of last issue: 15.01.2021

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the mixture:

Flam. Liq. 2	H225
Eye Irrit. 2	H319
Aquatic Chronic 3	H412

Classification procedure:

Based on product data or assessment
Calculation method
Calculation method

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SAFETY DATA SHEET

According to REACH etc. (Amendment etc.) (EU Exit) Regulations
2019



desderman® care gel

No Change Service!

Version

Revision Date:

Date of last issue: 15.01.2021

03.05

21.02.2022
