

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/7

UnoDent Prophylaxis Paste Mint

Revision 4
Revision date 2022-10-28

| SECTION 1: Identification of | the substance/mixture and of the company/undertaking | |
|--|--|--|
| 1.1. Product identifier | | |
| Product name | UnoDent Prophylaxis Paste Mint | |
| 1.2. Relevant identified uses of the substance or mixture and uses advised against | | |
| Product Use | [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); | |
| Restricted use | [SU21] Consumer uses: Private households (= general public = consumers); | |
| Description | Dental product. | |
| I.3. Details of the supplier of the | safety data sheet | |
| Company Supplier Address | DD Products & Services Made for DD Products & Services Ltd 6 Perry Way, Witham, Essex CM8 3SX UK | |
| Telephone Fax Email Emergency Email | +44 (0)1376 500582 +44 (0)1376 500581 info@unodent.com info@unodent.com | |
| I.4. Emergency telephone numb | per | |
| Emergency telephone number | 01376 500582 | |
| SECTION 2: Hazards identif | cation | |
| 2.2. Label elements | | |
| Hazard Statement | No Significant Hazard | |
| 2.3. Other hazards | • | |
| Other hazards | PBT. vPvB. Not applicable. | |
| Further information | | |
| | Medical devices as defined in Directive 93/42/EEC and which are invasive or used in direct physical contact with the human body, are exempted from the provisions of regulation (EC) No 1272/2008 (CLP/GHS) usually if they are in the finished state and intended for the final user. | |

3.2. Mixtures

Revision 4
Revision date 2022-10-28

3.2. Mixtures

EC 1272/2008

| Chemical Name | Index No. | CAS No. | EC No. | REACH Registration Number | Conc. (%w/w) | Classification |
|-------------------------|-----------|-----------|-----------|------------------------------|-----------------|---|
| Sodium dodecyl Sulphate | | 151-21-3 | 205-788-1 | 01-2119489461-32 | 0 - 0.5% | Flam. Sol. 2: H228; Acute Tox. 4: H302+H332; Skin Irrit. 2: H315; Eye Dam. 1: H318; STOT SE 3: H335; Aquatic Chronic 3: H412; |
| Peppermint Oil | | 8006-90-4 | 282-015-4 | 01-2119974601-36 | 0 - 0.5% | Acute Tox. 4: H302; Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 3: H412; |

SECTION 4: First aid measures

4.1. Description of first aid measures

| Inhalation | Move the exposed person to fresh air. |
|--------------|---|
| Eye contact | Rinse immediately with plenty of water for 15 minutes holding the eyelids open. |
| Skin contact | Wash off immediately with plenty of soap and water. Remove contaminated clothing. |
| Ingestion | Do NOT induce vomiting. |

4.2. Most important symptoms and effects, both acute and delayed

| Inhalation | May cause irritation to mucous membranes. |
|--------------|---|
| Eye contact | May cause irritation to eyes. |
| Skin contact | May cause irritation to skin. |
| Ingestion | May cause irritation to mucous membranes. |

4.3. Indication of any immediate medical attention and special treatment needed

| Congrel information | Seek medical attention in imitation of symptoms persist. |
|---------------------|---|
| Ingestion | Seek medical attention if irritation or symptoms persist. |
| Skin contact | Seek medical attention if irritation or symptoms persist. |
| Eye contact | Seek medical attention if irritation or symptoms persist. |
| Inhalation | Seek medical attention if irritation or symptoms persist. |

General Information

If you feel unwell, seek medical advice (show the label where possible).

SECTION 5: Firefighting measures

5.1. Extinguishing media

Use extinguishing media appropriate to the surrounding fire conditions.

5.2. Special hazards arising from the substance or mixture

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation of the working area. Wear suitable protective equipment.

6.2. Environmental precautions

Do not allow product to enter drains. Prevent further spillage if safe.

6.3. Methods and material for containment and cleaning up

Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.

6.4. Reference to other sections

Revision Revision date 2022-10-28

6.4. Reference to other sections

See Section 13 for disposal information. See Section 8 for exposure controls/personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in original container.

7.3. Specific end use(s)

See section 1.2. Relevant identified uses of the substance or mixture and uses advised against for further information.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

| calcium carbonate | WEL 8-hr limit ppm: - | WEL 8-hr limit mg/m3: - |
|-------------------------------|--|---|
| | WEL 15 min limit ppm: - | WEL 15 min limit mg/m3: - |
| | WEL 8-hr limit mg/m3 total 10 inhalable dust: WEL 8-hr limit mg/m3 total 4 | WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - |
| | respirable dust: | respirable dust: |
| calcium carbonate (Limestone) | WEL 8-hr limit ppm: - | WEL 8-hr limit mg/m3: - |
| | WEL 15 min limit ppm: - | WEL 15 min limit mg/m3: - |
| | WEL 8-hr limit mg/m3 total 10 inhalable dust: | WEL 15 min limit mg/m3 total - inhalable dust: |
| | WEL 8-hr limit mg/m3 total 4 respirable dust: | WEL 15 min limit mg/m3 total - respirable dust: |
| calcium carbonate (Marble) | WEL 8-hr limit ppm: - | WEL 8-hr limit mg/m3: - |
| | WEL 15 min limit ppm: - | WEL 15 min limit mg/m3: - |
| | WEL 8-hr limit mg/m3 total 10 inhalable dust: | WEL 15 min limit mg/m3 total - inhalable dust: |
| | WEL 8-hr limit mg/m3 total 4 respirable dust: | WEL 15 min limit mg/m3 total - respirable dust: |
| Glycerine (Glycerol, mist) | WEL 8-hr limit ppm: - | WEL 8-hr limit mg/m3: 10 |
| | WEL 15 min limit ppm: - | WEL 15 min limit mg/m3: - |
| | WEL 8-hr limit mg/m3 total - inhalable dust: | WEL 15 min limit mg/m3 total - inhalable dust: |
| | WEL 8-hr limit mg/m3 total - respirable dust: | WEL 15 min limit mg/m3 total - respirable dust: |

8.2. Exposure controls





Ensure adequate ventilation of the working area.

8.2.1. Appropriate engineering controls

Wear chemical protective clothing.

8.2.2. Individual protection

Eye / face protection

Approved safety goggles.

measures

Revision 4
Revision date 2022-10-28

8.2. Exposure controls

| Skin protection - | Chemical resistant gloves. |
|------------------------|---|
| Handprotection | |
| Respiratory protection | Wear suitable respiratory equipment when necessary. |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Appearance | Paste |
|---------------------------|-------------------|
| Odour | Characteristic |
| Odour threshold | Not applicable. |
| рН | No data available |
| Melting point | No data available |
| Freezing Point | No data available |
| Initial boiling point | No data available |
| Flash point | Not applicable. |
| Evaporation rate | No data available |
| Flammability (solid, gas) | Not applicable. |
| Vapour pressure | Not applicable. |
| Vapour density | Not applicable. |
| Relative density | No data available |
| Fat Solubility | No data available |
| Partition coefficient | No data available |
| Autoignition temperature | Not applicable. |
| Viscosity | No data available |
| Explosive properties | Not applicable. |
| Oxidising properties | |
| Solubility | Soluble in water |

9.2. Other information

| Conductivity | No data available |
|-----------------------|-------------------|
| | I |
| Surface tension | No data available |
| C | Net and Sabla |
| Gas group | Not applicable. |
| Renzene Content | No data available |
| | |
| Lead content | No data available |
| | |
| VOC (Volatile organic | No data available |
| compounds) | |
| | |

SECTION 10: Stability and reactivity

| 10.1. Reactiv | ity |
|---------------|-----|
|---------------|-----|

| | No data available. | |
|--|---------------------------------------|--|
| 10.2. Chemical stability | | |
| | Stable under normal conditions. | |
| 10.3. Possibility of hazardous re | actions | |
| | No data is available on this product. | |
| 10.4. Conditions to avoid | | |
| | Heat. Moisture. | |
| 10.5. Incompatible materials | | |
| | No data available. | |
| 10.6. Hazardous decomposition products | | |

Revision 4
Revision date 2022-10-28

10.6. Hazardous decomposition products

No data available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| This information on toxicological choose | | |
|--|---|--|
| Acute toxicity | No data available. | |
| Skin corrosion/irritation | May cause irritation to skin. | |
| Serious eye damage/irritation | May cause irritation to eyes. | |
| Respiratory or skin | May cause irritation to mucous membranes. | |
| sensitisation | | |
| Germ cell mutagenicity | No mutagenic effects reported. | |
| Carcinogenicity | No carcinogenic effects reported. | |
| Reproductive toxicity | No teratogenic effects reported. | |
| STOT-single exposure | No data available. | |
| STOT-repeated exposure | No data available. | |
| Aspiration hazard | May cause irritation to mucous membranes. | |
| Repeated or prolonged | No data available. | |

11.1.4. Toxicological Information

| calcium carbonate | Oral Rat LD50: 5000 mg/kg |
|-------------------|-----------------------------------|
| Glycerine | Oral Rat LD50: 12600 mg/kg |

SECTION 12: Ecological information

12.1. Toxicity

exposure

| calcium carbonate | Daphnia EC50/48h: 1.0000 mg/l | Algae IC50/72h: 72.0000 mg/l |
|-------------------|-----------------------------------|--------------------------------|
| | Fish LC50/96h: 10.0000 mg/l | |
| Glycerine | Daphnia EC50/48h: 10000.0000 mg/l | Algae IC50/72h: 2900.0000 mg/l |
| | Fish LC50/96h: 5000.0000 mg/l | |

12.2. Persistence and degradability

No data is available on this product.

12.3. Bioaccumulative potential

No data is available on this product.

Partition coefficient

| | Prophy Paste Mint No data available |
|---------------------|-------------------------------------|
| | |
| 40 4 14 1 1114 1 11 | |

12.4. Mobility in soil

No data is available on this product.

12.5. Results of PBT and vPvB assessment

No data is available on this product.

12.6. Other adverse effects

No data is available on this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of in compliance with all. local and national regulations.

Revision 4
Revision date 2022-10-28

| General information | |
|------------------------------|--|
| | 18 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND /OR RELATED RESEARCH(except kitchen and restaurant wastes not arising from immediate health care). 18 01 wastes from natal care, diagnosis, treatment or prevention of disease in humans. 18 01 06 chemicals consisting of or containing dangerous substances. |
| Disposal methods | |
| | Do not empty into drains. For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used. |
| Disposal of packaging | |
| | Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling. |
| SECTION 14: Transport | information |
| 14.1. UN number | |
| | The product is not classified as dangerous for carriage. |
| 14.2. UN proper shipping na | ame |
| | The product is not classified as dangerous for carriage. |
| 14.3. Transport hazard class | s(es) |
| | The product is not classified as dangerous for carriage. |
| 14.4. Packing group | |
| | The product is not classified as dangerous for carriage. |
| 14.5. Environmental hazard | s |
| | The product is not classified as dangerous for carriage. |
| 14.6. Special precautions fo | or user |
| | The product is not classified as dangerous for carriage. |
| 14.7. Transport in bulk acco | ording to Annex II of MARPOL 73/78 and the IBC Code |
| | The product is not classified as dangerous for carriage. |
| SECTION 15: Regulator | y information |
| 15.1. Safety, health and env | vironmental regulations/legislation specific for the substance or mixture |
| Regulations | COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. |
| 15.2. Chemical safety asses | ssment |
| | • |

Flam. Sol. 2: H228 - Flammable solid.

Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled

Text of Hazard Statements in

Other information

Section 3

Revision 4
Revision date 2022-10-28

| Other information | |
|---------------------|--|
| | Eye Dam. 1: H318 - Causes serious eye damage. STOT SE 3: H335 - May cause respiratory irritation. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Acute Tox. 4: H302 - Harmful if swallowed. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Irrit. 2: H319 - Causes serious eye irritation. |
| Further information | |
| | The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. |