UnoDent Instrument Disinfectant and Cleaner

UNODENT

Page: 1 Compilation date: 28/11/18 Revision date: 07/01/21 Revision No: 7

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: Product Name: UnoDent Instrument Disinfectant and Cleaner

DD Code: GIC200

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC8: Biocidal products (e.g. Disinfectants, pest control).

1.3. Details of the supplier of the safety data sheet

Company name: Unodent Ltd 10 PERRY WAY CM8 3SX Witham Essex England

Tel: 0800 585586

1.4. Emergency telephone number

Emergency tel: 0800 585586

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Dam. 1: H318; Aquatic Chronic 1: H410; Skin Irrit. 2: H315
Most important adverse effects: Causes skin irritation. Causes serious eye damage. Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Label elements:	
UFI:	3X00-W0GP-900K-VWW7
Hazard statements:	H315: Causes skin irritation.
	H318: Causes serious eye damage.
	H410: Very toxic to aquatic life with long lasting effects.
Hazard pictograms:	GHS05: Corrosion
	GHS09: Environmental



UnoDent Instrument Disinfectant and Cleaner

Page: 2

Signal words:	Danger
Precautionary statements:	P403+P233: Store in a well-ventilated place. Keep container tightly closed.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P235: Keep cool.
	P302+P352: IF ON SKIN: Wash with plenty of water.
	P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
	P410: Protect from sunlight.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ALCOHOLS, C9-11, ETHOXYLATED

EINECS	CAS	PBT / WEL	CLP Classification	Percent
614-482-0	68439-46-3	-	Acute Tox. 4: H302; Eye Dam. 1: H318	1-10%
N-(3-AMINOPR	ROPYL)-N-DODEC	CYLPROPANE-1,3-DIAMINE		
219-145-8	2372-82-9	-	Acute Tox. 3: H301; Skin Corr. 1A: H314; STOT RE 2: H373; Aquatic Acute 1: H400; Aquatic Chronic 1: H410	1-10%
N,N-DIDECYL-N-METHYL-POLY(OXYETHYL)AMMONIUM PROPIONATE				

-	94667-33-1	-	Acute Tox. 4: H302; Skin Corr. 1B:	1-10%
			H314; Aquatic Acute 1: H400; Aquatic	
			Chronic 1: H410	

Section 4: First aid measures

4.1. Description of first aid measures			
Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash		
	immediately with plenty of soap and water.		
Eye contact:	Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist		
	examination.		
Ingestion:	Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water		
	to drink immediately. Consult a doctor.		
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so.		

UnoDent Instrument Disinfectant and Cleaner

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

UnoDent Instrument Disinfectant and Cleaner

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): PC8: Biocidal products (e.g. Disinfectants, pest control).

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area.
Respiratory protection:	Respiratory protection not required.
Hand protection: Protective gloves.	
Eye protection:	Safety glasses.
Skin protection: Protective clothing.	
Environmental:	No special requirement.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:LiquidColour:GreenOdour:Fresh aromapH:10.00 - 11.00

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

UnoDent Instrument Disinfectant and Cleaner

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Not applicable.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ALCOHOLS, C9-11, ETHOXYLATED

DERMAL	-	LD50	>2000	mg/kg
ORAL	-	LD50	>300 - <=2000	mg/kg

N-(3-AMINOPROPYL)-N-DODECYLPROPANE-1,3-DIAMINE

DERMAL	RAT	LD50	>2000	mg/kg
ORAL	RAT	LD50	871	mg/kg

N,N-DIDECYL-N-METHYL-POLY(OXYETHYL)AMMONIUM PROPIONATE

ORAL RAT LD50	1157	mg/kg
---------------	------	-------

Relevant hazards for product:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact:	There may be irritation and redness at the site of contact.
Eye contact:	There may be pain and redness. The eyes may water profusely. There may be severe
	pain. The vision may become blurred. May cause permanent damage.
Ingestion:	There may be soreness and redness of the mouth and throat. Nausea and stomach
	pain may occur.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest.
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.

UnoDent Instrument Disinfectant and Cleaner

Page: 6

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

ALCOHOLS, C9-11, ETHOXYLATED

ALGAE	72H IC50	>10-<=100	mg/l
FISH	72H IC50	>10-<=100	mg/l

N-(3-AMINOPROPYL)-N-DODECYLPROPANE-1,3-DIAMINE

BLUEGILL (Lepomis macrochirus)	96H LC50	0.45	mg/l
Daphnia magna	48H EC50	0.073	mg/l
GREEN ALGA (Selenastrum capricornutum)	96H ErC50	0.054	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	0.68	mg/l

N,N-DIDECYL-N-METHYL-POLY(OXYETHYL)AMMONIUM PROPIONATE

BLUEGILL (Lepomis macrochirus)	96H LC50	0.52	mg/l
Daphnia magna	48H EC50	0.07	mg/l
ZEBRAFISH (Brachydanio rerio)	96H LC50	0.78	mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

UnoDent Instrument Disinfectant and Cleaner

Page: 7

Section 14: Transport information 14.1. UN number UN number: UN1903 14.2. UN proper shipping name Shipping name: DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (N-(3-AMINOPROPYL)-N-DODECYLPROPANE-1,3-DIAMINE) 14.3. Transport hazard class(es) Transport class: 8 14.4. Packing group Packing group: III 14.5. Environmental hazards Environmentally hazardous: Yes Marine pollutant: No 14.6. Special precautions for user Special precautions: No special precautions. Tunnel code: E Transport category: 3 Section 15: Regulatory information 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Specific regulations: Not applicable. **15.2. Chemical Safety Assessment** Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier. Section 16: Other information Other information Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 * indicates text in the SDS which has changed since the last revision. Phrases used in s.2 and s.3: H301: Toxic if swallowed. H302: Harmful if swallowed. H314: Causes severe skin burns and eye damage. H315: Causes skin irritation. H318: Causes serious eye damage. H373: May cause damage to organs through prolonged or repeated exposure.

UnoDent Instrument Disinfectant and Cleaner

Page: 8

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.