

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/7

UnoDent Prophylaxis Paste Orange

Revision 12 Revision date 2022-10-28

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	UnoDent Prophylaxis Paste Orange	
1.2. Relevant identified uses of t	he substance or mixture and uses advised against	
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [SU20] Health services;	
Restricted use	[SU21] Consumer uses: Private households (= general public = consumers);	
Description	Dental product.	
1.3. Details of the supplier of the	safety data sheet	
Company Supplier Address Telephone Fax	DD Products & Services Made for DD Products & Services Ltd 6 Perry Way, Witham, Essex CM8 3SX 01376 500582 01376 500581	
1.4. Emergency telephone numb	ber	
Emergency telephone number	01376 500582.	
Emergency email	info@unodent.com	
SECTION 2: Hazards identifi	cation	
2.1. Classification of the substan	ice or mixture	
2.1.2. Classification - EC 1272/2008	Aquatic Chronic 3: H412;	
2.2. Label elements		
Hazard Statement	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.	
Precautionary Statement: Prevention	P273 - Avoid release to the environment.	
2.3. Other hazards	·	
Other hazards	PBT. vPvB. Not applicable.	
Further information		
	Medical devices as defined in Directive 93/42/EEC and which are invasive or used in direct physical contact with the human body, are exempted from the provisions of regulation (EC) No	



Revision 12

Revision date 2022-10-28

Further information

1272/2008 (CLP/GHS) usually if they are in the finished state and intended for the final user.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. Classification (%w/w)
Orange Oil Sicilian		8028-48-6	232-433-8	01-2119493353-35	0.5 - 1% Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
Sodium dodecyl Sulphate		151-21-3	205-788-1	01-2119489461-32	0 - 0.5% Flam. Sol. 2: H228; Acute Tox. 4: H302+H332; Skin Irrit. 2: H315; Eye Dam. 1: H318; STOT SE 3: H335; Aquatic Chronic 3: H412;

SECTION 4: First aid measures

4.1. Description of first aid measures

4.1. Description of first ald meas	
Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing.
Ingestion	Do NOT induce vomiting.
4.2. Most important symptoms a	nd effects, both acute and delayed
Inhalation	May cause irritation to mucous membranes.
Eye contact	May cause irritation to eyes.
Skin contact	May cause irritation to skin.
Ingestion	May cause irritation to mucous membranes.
4.3. Indication of any immediate	medical attention and special treatment needed
Inhalation	Seek medical attention if irritation or symptoms persist.
Eye contact	Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Seek medical attention if irritation or symptoms persist.
General information	
	If you feel unwell, seek medical advice (show the label where possible).
SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
	Use extinguishing media appropriate to the surrounding fire conditions.
5.2. Special hazards arising from	n the substance or mixture
	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Wear suitable respiratory equipment when necessary.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
	Ensure adequate ventilation of the working area. Wear suitable protective equipment.
	·

6.2. Environmental precautions



Revision	date	2022-10-28
----------	------	------------

6.2. Environmental precautions			
	Do not allow product to enter drains. Prevent further spillage if safe.		
6.3. Methods and material for co	ontainment and cleaning up		
	Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water.		
6.4. Reference to other sections			
	See Section 13 for disposal information. See Section 8 for exposure controls/personal protection.		
SECTION 7: Handling and storage			
7.1. Precautions for safe handlin	7.1. Precautions for safe handling		
	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.		
7.2. Conditions for safe storage,	including any incompatibilities		
	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in original container.		
7.3. Specific end use(s)			
	See section 1.2. Relevant identified uses of the substance or mixture and uses advised against for further information.		
SECTION 8: Exposure contr	ols/personal protection		

8.1. Control parameters

8.1.1. Exposure Limit Values

•		
calcium carbonate	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total 10	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total 4	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
calcium carbonate (Limestone)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total 10	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total 4	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
calcium carbonate (Marble)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total 10	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total 4	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Glycerine (Glycerol, mist)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

8.2. Exposure controls



 Revision
 12

 Revision date
 2022-10-28

8.2. Exposure controls	
8.2.1. Appropriate engineering	Ensure adequate ventilation of the working area.
controls	
8.2.2. Individual protection	Wear chemical protective clothing.
measures	
Eye / face protection	Approved safety goggles.
Skin protection -	Chemical resistant gloves.
Handprotection	
Respiratory protection	Wear suitable respiratory equipment when necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Paeta
	Characteristic
Odour threshold	
pH	No data available
Melting point	No data available
Freezing Point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Relative density	No data available
Fat Solubility	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Slightly soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	Not applicable.

Water solubility

Slightly soluble in water.

SECTION 10: Stability and reactivity		
10.1. Reactivity		
	No data available.	
10.2. Chemical stability	I0.2. Chemical stability	
	Stable under normal conditions.	
10.3. Possibility of hazardous rea	actions	
	No data is available on this product.	
10.4. Conditions to avoid	10.4. Conditions to avoid	
	Heat. Moisture.	



 Revision
 12

 Revision date
 2022-10-28

10.5 Incompatible materiale		
10.5. Incompatible materials		
	No data available.	
10.6. Hazardous decomposition	products	
	No data available.	
SECTION 11: Toxicological	information	
11.1. Information on toxicologic	al effects	
Acute toxicity	No data available.	
Skin corrosion/irritation	May cause irritation to skin.	
Serious eye damage/irritation	May cause irritation to eyes.	
Respiratory or skin sensitisation	May cause irritation to mucous membranes.	
Germ cell mutagenicity	No mutagenic effects reported.	
Carcinogenicity	No carcinogenic effects reported.	
Reproductive toxicity	No teratogenic effects reported.	
STOT-single exposure	No data available.	
STOT-repeated exposure	No data available.	
Aspiration hazard	May cause irritation to mucous membranes.	
Repeated or prolonged	No data available.	
exposure		
11.1.4. Toxicological Information	n	
calcium carbonate	Oral Rat LD50: 5000 mg/kg	
Glycerine	Oral Rat LD50: 12600 mg/kg	
SECTION 12: Ecological inf	ormation	
12.1. Toxicity		
-		
calcium carbonate	Daphnia EC50/48h: 1.0000 mg/l Fish LC50/96h: 10.0000 mg/l	Algae IC50/72h: 72.0000 mg/l
Glycerine	Daphnia EC50/48h: 10000.0000 mg/l	Algae IC50/72h: 2900.0000 mg/l
	Fish LC50/96h: 5000.0000 mg/l	-
12.2. Persistence and degradat	ility	
	No data is available on this product.	
12.3. Bioaccumulative potential		
12.3. Bioaccumulative potential		
12.3. Bioaccumulative potential	No data is available on this product.	
12.3. Bioaccumulative potential Partition coefficient	No data is available on this product.	
	No data is available on this product. Prophy Paste Orange No data available	
Partition coefficient		
	Prophy Paste Orange No data available	
Partition coefficient 12.4. Mobility in soil	Prophy Paste Orange No data available No data is available on this product.	
Partition coefficient	Prophy Paste Orange No data available No data is available on this product.	
Partition coefficient 12.4. Mobility in soil	Prophy Paste Orange No data available No data is available on this product.	
Partition coefficient 12.4. Mobility in soil	Prophy Paste Orange No data available No data is available on this product. assessment	

SECTION 13: Disposal considerations



 Revision
 12

 Revision date
 2022-10-28

13.1. Waste treatment methods

Dispose of in compliance with all. local and national regulations. 18 WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND /OR RELATED RESEARCH(except kitchen and restaurant wastes not arising from immediate health care). 18 01 wastes from natal care, diagnosis, treatment or prevention of disease in humans. 18 01 06 chemicals consisting of or containing dangerous substances.
except kitchen and restaurant wastes not arising from immediate health care). 18 01 wastes from natal care, diagnosis, treatment or prevention of disease in humans. 18 01 06 chemicals consisting
except kitchen and restaurant wastes not arising from immediate health care). 18 01 wastes from natal care, diagnosis, treatment or prevention of disease in humans. 18 01 06 chemicals consisting
Do not empty into drains. For disposal within the EC, the appropriate code according to the European Waste Catalogue (EWC) should be used.
Do NOT reuse empty containers. Empty containers can be sent for disposal or recycling.
rmation
The product is not classified as dangerous for carriage.
The product is not classified as dangerous for carriage.
)
The product is not classified as dangerous for carriage.
1
The product is not classified as dangerous for carriage.
The product is not classified as dangerous for carriage.
The product is not classified as dangerous for carriage.
g to Annex II of MARPOL 73/78 and the IBC Code
The product is not classified as dangerous for carriage.
formation
mental regulations/legislation specific for the substance or mixture
COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No data available.

SECTION 16: Other information

Other information



Other information	
Text of Hazard Statements in Section 3	 Flam. Liq. 3: H226 - Flammable liquid and vapour. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Flam. Sol. 2: H228 - Flammable solid. Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled Eye Dam. 1: H318 - Causes serious eye damage. STOT SE 3: H335 - May cause respiratory irritation. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

